



Queensland

Timber Utilisation and Marketing Act 1987

Timber Utilisation and Marketing Regulation 1998

Reprinted as in force on 4 January 2002

Reprint No. 1C*

This reprint is prepared by
the Office of the Queensland Parliamentary Counsel
Warning—This reprint is not an authorised copy

* Minor differences in presentation between this reprint and another reprint with the same number are due to the conversion to new styles. The content has not changed.

Information about this reprint

This regulation is reprinted as at 4 January 2002. The reprint shows the law as amended by all amendments that commenced on or before that day (Reprints Act 1992 s 5(c)).

The reprint includes a reference to the law by which each amendment was made—see list of legislation and list of annotations in endnotes. Also see list of legislation for any uncommenced amendments.

Minor editorial changes allowed under the provisions of the Reprints Act 1992 have been made to use aspects of format and printing style consistent with current drafting practice (s 35).

This page is specific to this reprint. See previous reprints for information about earlier changes made under the Reprints Act 1992. A table of reprints is included in the endnotes.

Also see endnotes for information about—

- **when provisions commenced**
- **editorial changes made in earlier reprints.**

Dates shown on reprints

Reprints dated at last amendment All reprints produced on or after 1 July 2002, hard copy and electronic, are dated as at the last date of amendment. Previously reprints were dated as at the date of publication. If a hard copy reprint is dated earlier than an electronic version published before 1 July 2002, it means the legislation was not further amended and the reprint date is the commencement of the last amendment.

If the date of a hard copy reprint is the same as the date shown for an electronic version previously published, it merely means that the electronic version was published before the hard copy version. Also, any revised edition of the previously published electronic version will have the same date as that version.

Replacement reprint date If the date of a hard copy reprint is the same as the date shown on another hard copy reprint it means that one is the replacement of the other.



Queensland

Timber Utilisation and Marketing Regulation 1998

Contents

		Page
Part 1	Preliminary	
1	Short title	3
2	Definition	3
Part 2	Exclusions	
3	Exclusions from framing timber	3
4	Exclusions from lyctid susceptible timber	3
Part 3	Prescribed articles and classes of timber	
5	Articles—Act, ss 11(3) and 13(3)	4
6	Classes of milled timber—Act, s 34(3)	4
Part 4	Moisture content of timber	
7	Prescribed manners for determining moisture content—Act pt 5.	5
8	Standards for moisture content—Act, pt 5 and s 36.	5
Part 5	Miscellaneous	
9	Prescribed time and manner for appeals—Act, s 37	5
10	Assignable H levels and conditions—Act, s 53(3)	6
11	Proof of standard	6
12	Fees	6
Schedule 1	Excluded timber—angiospermae	
Schedule 2	Manners for determining moisture content	11
Schedule 3	Moisture content standards	12
Schedule 4	H levels and conditions	13
Schedule 5	Fees	14
Endnotes		
1	Index to endnotes	15

2	Date to which amendments incorporated.	15
3	Key	15
4	Table of reprints	16
5	List of legislation.	16
6	List of annotations	16

Timber Utilisation and Marketing Regulation 1998

[as amended by all amendments that commenced on or before 4 January 2002]

Part 1 Preliminary

1 Short title

This regulation may be cited as the *Timber Utilisation and Marketing Regulation 1998*.

2 Definition

In this regulation—

AS/NZS means a joint Standards Australia and Standards New Zealand standard.

Part 2 Exclusions

3 Exclusions from *framing timber*

For the definition of *framing timber* in section 6(1) of the Act, the timber of a prescribed class or description is—

- (a) glued-laminated structural timber; and
- (b) milled timber used for framing or structural purposes that is from plantation-grown conifers.

4 Exclusions from *lyctid susceptible timber*

For the definition of *lyctid susceptible timber* in section 6(1) of the Act, the prescribed species of timber are the species from the—

- (iv) rails;
- (v) step treads;
- (vi) stringers and risers;
- (vii) window sills.

Part 4 Moisture content of timber

7 Prescribed manners for determining moisture content—Act pt 5

For part 5³ of the Act, the prescribed manner for determining the moisture content of a type timber stated in schedule 2 is the manner stated in schedule 2 opposite the type.

8 Standards for moisture content—Act, pt 5 and s 36

For part 5 and section 36(3)(a) and (4)(a) of the Act, the prescribed standard for the moisture content of a type timber stated in schedule 3 is the standard stated in schedule 3 opposite the type.⁴

Part 5 Miscellaneous

9 Prescribed time and manner for appeals—Act, s 37

For section 37(1)⁵ of the Act, an appeal must—

- (a) be written; and
- (b) state the grounds for the appeal; and

3 Part 5 (Moisture content of timber) of the Act

4 Section 36 (Implied conditions) of the Act. For a type of timber not stated in schedule 3, see section 36(3)(b) and (4)(b) of the Act.

5 Section 37 (Appeal) of the Act

- (c) be given to the chief executive within 30 days after—
- (i) the person aggrieved was given notice of the refusal, cancellation, suspension or condition that is the subject of the appeal; or
 - (ii) if section 37(4) of the Act applies to an application that is the subject of the appeal—the day the application is taken to have been refused under that section.

10 Assignable H levels and conditions—Act, s 53(3)

- (1) For section 53(3)(a)⁶ of the Act, the chief executive may assign a H level stated in schedule 4 to timber treated with an approved preservative treatment.
- (2) For section 53(3)(b) of the Act, the conditions in which it is appropriate to use timber assigned a H level are the conditions stated in schedule 4 opposite the H level or opposite a H level of a lower number.

Example of subsection (2)—

Timber assigned a H4 level is appropriate for use in the conditions stated for H4, H3, H2 or H1 level timber.

11 Proof of standard

A certificate purporting to be signed by the chief executive stating that on a stated day or during a stated period a stated AS, AS/NZS or other standard under schedule 3 was in force is evidence of the matter stated.

12 Fees

The fees payable under the Act are in schedule 5.

⁶ Section 53 (Regulation making power) of the Act

Schedule 1 Excluded timber—angiospermae

section 4

Part 1 Australian timber

Trade name	Scientific name
alder, rose	<i>Caldcluvia australiensis</i>
almond, rose	<i>Owenia venosa</i>
ash, pink	<i>Alphitonia petriei</i>
ash, red	<i>Alphitonia excelsa</i>
ash, red	<i>Alphitonia whitei</i>
ash, silvertop	<i>Eucalyptus sieberi</i>
backhousia, stony	<i>Backhousia hughesii</i>
belah	<i>Casuarina cristata</i>
blackbutt	<i>Eucalyptus pilularis</i>
box, brush	<i>Lophostemon confertus</i>
box, ironwood	<i>Choricarpia subargentea</i>
box, ironwood	<i>Choricarpia leptopetala</i>
box, kanuka	<i>Tristaniopsis laurina</i> or <i>Tristaniopsis exiliflora</i>
box, swamp	<i>Lophostemon suaveolens</i>
box, white	<i>Eucalyptus albens</i>
box, white-topped	<i>Eucalyptus quadrangulata</i>
box, yellow	<i>Eucalyptus melliodora</i>
gum, grey	<i>Eucalyptus canaliculata</i> , <i>Eucalyptus major</i> , <i>Eucalyptus propinqua</i> or <i>Eucalyptus punctata</i>

Schedule 1 (continued)

Trade name	Scientific name
gum, red, forest	<i>Eucalyptus tereticornis</i>
gum, rose	<i>Eucalyptus grandis</i>
gum, scribbly	<i>Eucalyptus haemastoma</i> , <i>Eucalyptus micrantha</i> , <i>Eucalyptus racemosa</i> , <i>Eucalyptus rossii</i> or <i>Eucalyptus signata</i>
hardwood, Johnstone River	<i>Backhousia bancroftii</i>
hollywood, yellow	<i>Premna lignum-vitae</i>
ironbark, grey	<i>Eucalyptus drepanophylla</i> or <i>Eucalyptus paniculata</i>
ironbark, gum-topped	<i>Eucalyptus decorticans</i>
ironbark, red, broad-leaved	<i>Eucalyptus fibrosa</i> subsp. <i>Fibrosa</i>
ironbark, red, narrow-leaved	<i>Eucalyptus crebra</i>
ironbark, silver-leaved	<i>Eucalyptus melanophloia</i>
karri	<i>Eucalyptus diversicolor</i>
mahogany, white	<i>Eucalyptus acmenoides</i> , <i>Eucalyptus umbra</i> subsp. <i>Umbra</i> or <i>Eucalyptus umbra</i> subsp. <i>Carnea</i>
malletwood	<i>Rhodamnia costata</i>
malletwood, brown	<i>Rhodamnia rubescens</i>
malletwood, silver	<i>Rhodamnia acuminata</i>
mangrove, grey	<i>Avicennia marina</i> var. <i>Australasica</i>
maple, Queensland	<i>Flindersia brayleyana</i>
maple, scented	<i>Flindersia laevicarpa</i> var. <i>Laevicarpa</i>
messmate, Gympie	<i>Eucalyptus cloeziana</i>
myall	<i>Acacia pendula</i>

Schedule 1 (continued)

Trade name	Scientific name
oak, bull	<i>Casuarina leuhmannii</i>
penda, brown	<i>Xanthostemon chrysanthus</i>
penda, red	<i>Xanthostemon whitei</i>
penda, southern	<i>Xanthostemon oppositifolius</i>
penda, yellow	<i>Ristantia pachysperma</i>
saffronheart	<i>Halfordia kendack</i> or <i>Halfordia scleroxyla</i>
sandalbox	<i>Eremophila mitchellii</i>
sassafras	<i>Daphnandra micrantha</i> , <i>Doryphora aromatica</i> , <i>Daphnandra repandula</i> or <i>Doryphora sassafras</i>
sassafras, grey	<i>Dryadodaphne novoguineensis</i>
satinay	<i>Syncarpia hillii</i>
sheoak, beach	<i>Casuarina equisetifolia</i> var <i>incana</i>
sheoak, black	<i>Allocasuarina littoralis</i>
sheoak, river	<i>Casuarina cunninghamiana</i>
sheoak, rose	<i>Allocasuarina torulosa</i>
sheoak, swamp	<i>Casuarina glauca</i>
silkwood, maple	<i>Flindersia pimenteliana</i>
stingybark, blackdown	<i>Eucalyptus sphaerocarpa</i>
stringybark, white	<i>Eucalyptus eugenioides</i>
stringybark, yellow	<i>Eucalyptus muellerana</i>
sycamore, silver	<i>Cryptocarya glaucescens</i>
tea-tree, broad-leaved	<i>Melaleuca leucadendra</i> , <i>Melaleuca quinquinervia</i> or <i>Melaleuca viridiflora</i>
tea-tree, river	<i>Melaleuca bracteata</i>

Schedule 1 (continued)

Trade name	Scientific name
turpentine	<i>Syncarpia glomulifera</i>
wattle, ironwood	<i>Acacia excelsa</i>
yapunya, mountain	<i>Eucalyptus thozetiana</i>
yarran	<i>Acacia homalophylla</i>

Part 2**Imported timber**

Common name	Scientific name
beech, silver	<i>Nothofagus menziesii</i>
chengal	<i>Balanocarpus</i> spp.
dabarima	<i>Planchonia</i> spp.
gaboon	<i>Aucoumea klaineana</i>
giam	<i>Hopea</i> spp.
geronggang	<i>Ceratoxylon arborescens</i>
kamarere	<i>Eucalyptus deglupta</i>
kapur	<i>Dryobalanops</i> spp.
malas	<i>Homalium</i> spp.
vitex	<i>Vitex</i> spp

Schedule 2 Manners for determining moisture content

section 7

	Type of timber	Manner
1	Veneer, plywood or blockboard	The oven-drying method for determining moisture content under AS/NZS 2098.1–1996 (Methods of Test for Veneer and Plywood)—method 1 (Moisture content of veneer and plywood)
2	Particleboard	Method 3 (Determination of moisture content) under AS/NZS 4266.3–1995 (Reconstituted wood-based panels—Methods of Test)
3	Timber containing volatile preservatives or residual non-aqueous preservative solvent	The distillation method stated in the American Society for Testing Materials, standard method D4442–92, (Standard Methods for Direct Moisture Content Measurement of Wood and Wood-Base Materials)
4	Timber not mentioned in items 1, 2, or 3	Method 1 (Moisture content) under AS/NZS 1080.1–1997 (Timber—Methods of Test)

Schedule 3 Moisture content standards

section 8

Class or description of timber	Standard
Glue laminated structural timber	AS 1328–1987 (Glue–Laminated Structural Timber)
Portable timber ladders	AS1892.2–1992 (Portable Timber Ladders)
Flat pressed particleboard	AS/NZS 1859.1-5 1997 (Reconstituted wood-based panels)
Structural plywood	AS/NZS 2269–1994 (Plywood–Structural)
Plywood and blockwood for interior use	AS 2270–1979 (Plywood and blockwood for interior use)
Plywood and blockwood for exterior use	AS 2271–1979 (Plywood and blockwood for exterior use)
Marine plywood	AS 2272–1996 (Plywood–Marine)

Schedule 4 H levels and conditions

section 10

H level	Conditions in which use is appropriate
H1	<ol style="list-style-type: none"> 1 In a well ventilated place where the timber is kept off the ground and completely protected from weather and wetting. 2 The treatment is designed to reduce the likelihood of attack of insects other than termites.
H2	<ol style="list-style-type: none"> 1 In a well ventilated place where the timber is kept off the ground and completely protected from weather and wetting. 2 The treatment is designed to reduce the likelihood of attack by insects, including termites.
H3	<ol style="list-style-type: none"> 1 In a place where the timber is kept off the ground but is exposed to weather or periodic wetting. 2 The treatment is designed to reduce the likelihood of attack by insects, including termites, and decay.
H4	<ol style="list-style-type: none"> 1 In a place where the timber is in contact with the ground or is continually damp. 2 The treatment is designed to reduce the likelihood of attack by insects, including termites, and severe decay.
H5	<ol style="list-style-type: none"> 1 In a place where the timber is in contact with the ground or fresh water. 2 The treatment is designed to reduce the likelihood of attack by insects, including termites, and very severe decay.
H6	<ol style="list-style-type: none"> 1 In a place where the timber is in prolonged contact with sea water. 2 The treatment is designed to reduce the likelihood of attack by marine borer and very severe decay.

Schedule 5 Fees

section 12

	\$
1 Application for approval of preservative treatment (section 16 of the Act)	113.55
2 Application for authorisation to use approved preservative treatment and registration of brand for the authorisation (section 19 of the Act)	170.35
3 Application for registration of brand for imported timber previously treated with an approved preservative treatment (section 20 of the Act)	82.55
4 Application for registration of brand for remilled timber previously treated with an approved preservative treatment (section 21 of the Act)	82.55
5 Application for renewal of authorisation to use an approved preservative treatment and of registration of brand registered for the authorisation (section 25(1) of the Act)	82.55
6 Application for renewal of registration of brand for imported or remilled timber (section 25(2) of the Act), for each brand	82.55
7 Application to transfer authorisation and registration of brand registered for the authorisation (section 26(1) of the Act)	56.75
8 Application to transfer registration of brand for imported or remilled timber (section 26(2) of the Act), for each brand	28.35
9 Application for recognition of brand (section 27 of the Act)	113.55
10 Search of the register of brands—	
(a) for up to 20 brands searched, for each brand.	5.65
(b) for more than 20 brands searched	113.55

Endnotes

1 Index to endnotes

	Page
2 Date to which amendments incorporated	15
3 Key	15
4 Table of reprints	16
5 List of legislation	16
6 List of annotations	16

2 Date to which amendments incorporated

This is the reprint date mentioned in the Reprints Act 1992, section 5(c). Accordingly, this reprint includes all amendments that commenced operation on or before 4 January 2002. Future amendments of the Timber Utilisation and Marketing Regulation 1998 may be made in accordance with this reprint under the Reprints Act 1992, section 49.

3 Key

Key to abbreviations in list of legislation and annotations

Key	Explanation	Key	Explanation
AIA	= Acts Interpretation Act 1954	(prev)	= previously
amd	= amended	proc	= proclamation
amdt	= amendment	prov	= provision
ch	= chapter	pt	= part
def	= definition	pubd	= published
div	= division	R[X]	= Reprint No.[X]
exp	= expires/expired	RA	= Reprints Act 1992
gaz	= gazette	reloc	= relocated
hdg	= heading	renum	= renumbered
ins	= inserted	rep	= repealed
lap	= lapsed	(retro)	= retrospectively
notfd	= notified	rv	= revised edition
o in c	= order in council	s	= section
om	= omitted	sch	= schedule
orig	= original	sdiv	= subdivision
p	= page	SIA	= Statutory Instruments Act 1992
para	= paragraph	SIR	= Statutory Instruments Regulation 2002
prec	= preceding	SL	= subordinate legislation
pres	= present	sub	= substituted
prev	= previous	unnum	= unnumbered

4 Table of reprints

Reprints are issued for both future and past effective dates. For the most up-to-date table of reprints, see the reprint with the latest effective date.

If a reprint number includes a letter of the alphabet, the reprint was released in unauthorised, electronic form only.

Reprint No.	Amendments to	Effective	Reprint date
1	none	15 May 1998	23 June 1998
1A	1999 SL No. 177	30 July 1999	10 August 1999
1B	2001 SL No. 177	28 September 2001	10 October 2001
1C	2001 SL No. 288	21 December 2001	4 January 2002

5 List of legislation

Timber Utilisation and Marketing Regulation 1998 SL No. 140

made by the Governor in Council on 14 May 1998

notfd gaz 15 May 1998 pp 311–16

commenced on date of notification

exp 1 September 2008 (see SIA s 54)

Note—The expiry date may have changed since this reprint was published. See the latest reprint of the SIR for any change.

amending legislation—

Timber Utilisation and Marketing Amendment Regulation (No. 1) 1999 SL No. 177

notfd gaz 30 July 1999 pp 1905–6

commenced on date of notification

Primary Industries Legislation Amendment Regulation (No. 1) 2001 SL No. 177 pts 1, 7

notfd gaz 28 September 2001 pp 328–30

commenced on date of notification

Primary Industries Legislation Amendment Regulation (No. 2) 2001 SL No. 288 s 1, pt 3

notfd gaz 21 December 2001 pp 1482–8

commenced on date of notification

6 List of annotations

Definition

prov hdg amd 2001 SL No. 177 s 13(1)

s 2 amd 2001 SL No. 177 s 13(2)

PART 6—REPEAL AND TRANSITIONAL

pt hdg exp 16 May 1998 (see s 15)

Repeal

s 13 exp 16 May 1998 (see s 15)

Prescribed moisture content under repealed regulation

s 14 exp 16 May 1998 (see s 15)

Expiry of pt 6

s 15 exp 16 May 1998 (see s 15)

SCHEDULE 5—FEES

sub 1999 SL No. 177 s 3; 2001 SL No. 288 s 6