



Queensland

# Vegetation Management (Clearing Codes and Regional Ecosystems) Amendment Regulation 2019

Subordinate Legislation 2019 No. 106

made under the

*Vegetation Management Act 1999*

## Contents

---

	Page
1	Short title . . . . . 2
2	Regulation amended . . . . . 2
3	Amendment of s 3 (Approval of accepted development vegetation clearing codes—Act, s 19P) . . . . . 2
4	Amendment of sch 1 (Endangered regional ecosystems) . . . . . 3
5	Amendment of sch 2 (Of concern regional ecosystems) . . . . . 4
6	Amendment of sch 3 (Least concern regional ecosystems) . . . . . 6
7	Amendment of sch 4 (Grassland regional ecosystems—Act, schedule) . . . . . 10
8	Amendment of sch 5 (Grassland regional ecosystems—Act, section 8) . . . . . 10

## 1 Short title

This regulation may be cited as the *Vegetation Management (Clearing Codes and Regional Ecosystems) Amendment Regulation 2019*.

## 2 Regulation amended

This regulation amends the *Vegetation Management Regulation 2012*.

## 3 Amendment of s 3 (Approval of accepted development vegetation clearing codes—Act, s 19P)

(1) Section 3(a) to (f) and (h) to (j)—

*omit.*

(2) Section 3(g), after ‘Managing’—

*insert—*

a

(3) Section 3(g)—

*renumber* as section 3(a).

(4) Section 3—

*insert—*

(b) the code called ‘Clearing for an extractive industry’ made by the Minister on 5 June 2019;

(c) the code called ‘Clearing for infrastructure’ made by the Minister on 5 June 2019;

(d) the code called ‘Clearing to improve agricultural efficiency’ made by the Minister on 5 June 2019;

(e) the code called ‘Managing encroachment’ made by the Minister on 5 June 2019;

- (f) the code called ‘Managing fodder harvesting’ made by the Minister on 5 June 2019;
- (g) the code called ‘Managing regulated regrowth vegetation’ made by the Minister on 5 June 2019;
- (h) the code called ‘Managing weeds’ made by the Minister on 5 June 2019;
- (i) the code called ‘Necessary environmental clearing’ made by the Minister on 5 June 2019.

#### 4 Amendment of sch 1 (Endangered regional ecosystems)

- (1) Schedule 1, part 1—

*insert—*

*Dichanthium sericeum* grassland on old sedimentary rocks with varying degrees of metamorphism and folding 11.11.17

- (2) Schedule 1—

*insert—*

### Part 3A Gulf Plains Bioregion

**Column 1**  
**Regional ecosystem**

**Column 2**  
**Regional ecosystem number**

*Eucalyptus melanophloia* open woodland on infrequently flooded Quaternary alluvial plains 2.3.64

- (3) Schedule 1, parts 3A to 7—

*renumber* as schedule 1, parts 4 to 8.

## 5 Amendment of sch 2 (Of concern regional ecosystems)

- (1) Schedule 2, part 1, entry for regional ecosystem number 11.11.17—

*omit.*

- (2) Schedule 2, part 2, entries for regional ecosystem numbers 3.2.4, 3.2.8, 3.2.13, 3.2.15, 3.2.16, 3.2.20, 3.2.22, 3.2.23, 3.2.24, 3.2.27, 3.2.30, 3.2.31, 3.2.32, 3.3.11, 3.3.12, 3.3.15, 3.3.34, 3.3.39, 3.3.44, 3.3.45, 3.3.46, 3.3.51, 3.5.15, 3.7.2, 3.8.4, 3.9.8 and 3.10.5—

*omit.*

- (3) Schedule 2, part 2—

*insert—*

*Melaleuca* spp. open forest in dune swales and swampy areas 3.2.4

*Corymbia novoguineensis* and/or *C. clarksoniana* woodland in coastal areas 3.2.7

*Melaleuca viridiflora*, *Corymbia novoguineensis* low woodland on beach ridges 3.2.15

Mixed dwarf open heath on dunes and headlands 3.2.22

Sedgeland fringing perennial lakes in coastal dunefields 3.2.27

*Pemphis acidula* low closed forest on coral atolls, shingle cays and sand cays 3.2.30

*Melaleuca leucadendra* ± *Corymbia tessellaris* woodland on alluvium derived from metamorphic rocks 3.3.11

*Eucalyptus brassiana* ± *Melaleuca viridiflora* ± *Corymbia clarksoniana* woodland on alluvial plains 3.3.15

*Corymbia nesophila* ± *Erythrophleum chlorostachys* ± *Eucalyptus tetradonta* woodland on alluvial plains and floodplains 3.3.27

---

<i>Corypha utan</i> woodland on alluvial plains	3.3.34
Semi-deciduous microphyll vine forest ± <i>Melaleuca</i> spp. associated with closed depressions	3.3.39
<i>Melaleuca acacioides</i> ± <i>Hakea pedunculata</i> tall shrubland on coastal plains	3.3.51
<i>Melaleuca foliolosa</i> ± <i>M. citrolens</i> tall shrubland on eroding drainage areas	3.3.52
<i>Melaleuca viridiflora</i> and <i>Asteromyrtus</i> <i>symphyocarpa</i> low woodland on residual sands	3.5.15
<i>Acacia shirleyi</i> woodland on lateritic knolls	3.7.2
<i>Heteropogon contortus</i> or <i>Themeda triandra</i> closed tussock grasslands on basalt cones and rises	3.8.4
<i>Heteropogon triticeus</i> and/or <i>Sarga plumosum</i> closed tussock grassland on clay plains	3.9.8
Deciduous notophyll and/or microphyll vine thicket or forest on sandstone hills and slopes	3.10.5
<i>Corymbia nesophila</i> ± <i>Eucalyptus crebra</i> or <i>E.</i> <i>tetradonta</i> woodland to open forest on sandstone plateaus and slopes	3.10.21
(4) Schedule 2, part 7, entry for regional ecosystem number 2.3.64— <i>omit.</i>	
(5) Schedule 2, part 7— <i>insert—</i>	
<i>Eucalyptus microneura</i> ± <i>E. leptophleba</i> and <i>Corymbia confertiflora</i> woodland on active Quaternary alluvial plains of watercourses from the Einasleigh Uplands bioregion	2.3.71

[s 6]

---

- (6) Schedule 2, part 10, entry for regional ecosystem number 13.11.5—

*omit.*

- (7) Schedule 2, part 11, entries for regional ecosystem numbers 1.9.10, 1.10.2 and 1.11.14—

*omit.*

- (8) Schedule 2, part 11—

*insert—*

*Eucalyptus pruinosa* low open woodland on shale hills 1.9.7

Sinkholes with low woodland of *Celtis strychnoides* and *Ficus* spp. 1.9.10

*Acacia cambagei* low open woodland on clay soils derived from metamorphic rocks 1.11.14

## 6 Amendment of sch 3 (Least concern regional ecosystems)

- (1) Schedule 3, part 2, entries for regional ecosystem numbers 3.2.7, 3.2.11, 3.2.12, 3.2.18, 3.2.25, 3.3.1, 3.3.9, 3.3.10, 3.3.18, 3.3.19, 3.3.20, 3.3.21, 3.3.23, 3.3.24, 3.3.27, 3.3.29, 3.3.30, 3.3.32, 3.3.33, 3.3.35, 3.3.37, 3.3.41, 3.3.49, 3.3.50, 3.3.52, 3.3.53, 3.3.55, 3.3.56, 3.3.58, 3.3.61, 3.3.63, 3.3.64, 3.3.65, 3.10.6, 3.10.19, 3.10.21, 3.11.9, 3.11.12 and 3.11.15—

*omit.*

- (2) Schedule 3, part 2—

*insert—*

*Acacia crassicarpa*, *Syzygium banksii* low closed forest ± emergent *Araucaria cunninghamii* var. *cunninghamii* on coastal dunefields and beach ridges 3.2.12

---

Semi-deciduous notophyll vine forest on beach ridges on the east coast	3.2.13
<i>Thryptomene oligandra</i> open heath ± <i>Asteromyrtus lysicephala</i> on flat sand plains	3.2.18
Mixed closed tussock grasslands or forblands or shrublands on exposed foredunes and islands	3.2.24
Semi-deciduous notophyll vine forest on loamy alluvia	3.3.1
<i>Lophostemon suaveolens</i> woodlands on creeklines and swamps	3.3.9
<i>Melaleuca fluviatilis</i> and/or <i>Melaleuca argentea</i> woodland or <i>M. saligna</i> or <i>M. dealbata</i> woodland fringing watercourses	3.3.10
<i>Corymbia clarksoniana</i> or <i>C. novoguineensis</i> woodland on alluvial plains	3.3.20
<i>Eucalyptus leptophleba</i> ± <i>Erythrophelum chlorostachys</i> woodland on riverine levees and floodplains	3.3.24
<i>Eucalyptus acroleuca</i> woodland on floodplains	3.3.35
<i>Eucalyptus microtheca</i> ± <i>Corymbia papuana</i> open woodland on floodplains	3.3.37
<i>Melaleuca viridiflora</i> ± <i>Corymbia clarksoniana</i> low open woodland on floodplains and alluvial plains	3.3.49
<i>Melaleuca</i> spp. woodland on swamps on floodplains and non-floodplain landforms	3.3.50
<i>Neofabricia myrtifolia</i> ± <i>Melaleuca viridiflora</i> low woodland on streams and alluvial plains	3.3.53
<i>Aristida</i> spp. and/or <i>Eriachne</i> spp. tussock grassland in drainage depressions	3.3.56

<i>Oryza</i> spp. closed tussock grassland ± <i>Eleocharis</i> spp. ± <i>Echinochloa</i> spp. in seasonally inundated depressions on coastal plains	3.3.58
<i>Fimbristylis</i> spp. sedgeland on alluvial plains	3.3.61
<i>Eleocharis</i> spp. open sedgeland on seasonally flooded marine plains	3.3.63
<i>Baloskion tetraphyllum</i> subsp. <i>meiostachyum</i> and/or <i>Leptocarpus</i> spp. and/or <i>Dapsilanthus</i> <i>spathaceus</i> open sedgeland in drainage swamps	3.3.64
Tussock grasslands in ephemeral lakes and lagoons on alluvial plains	3.3.65
<i>Eucalyptus tetradonta</i> ± <i>Corymbia stockeri</i> subsp. <i>stockeri</i> woodland on sandstone plateaus	3.10.6
<i>Asteromyrtus lysicephala</i> and <i>Neofabricia</i> <i>myrtifolia</i> dwarf open heath or <i>Schizachyrium</i> <i>pachyarthron</i> closed tussock grassland on sandstone plateaus and headlands	3.10.19
<i>Eucalyptus leptophleba</i> ± <i>E. platyphylla</i> woodland on rolling metamorphic hills	3.11.12
<i>Eucalyptus leptophleba</i> ± <i>Corymbia dallachiana</i> open woodland on metamorphic hills	3.11.15
(3) Schedule 3, part 4, entry for regional ecosystem number 5.5.2— <i>omit, insert—</i>	
<i>Acacia aneura</i> low open woodland ± <i>Acacia</i> <i>sibirica</i> ± <i>Eremophila latrobei</i> on Quaternary deposits	5.5.2
(4) Schedule 3, part 5, entry for regional ecosystem number 10.3.22— <i>omit, insert—</i>	



Clay pans, *Fimbristylis buchananensis* open 10.3.22  
sedgeland and spare-tussock grasslands on  
shallow alluvial plains (Lake Buchanan)

- (5) Schedule 3, part 7, entry for regional ecosystem number  
2.3.71—

*omit.*

- (6) Schedule 3, part 8, entries for regional ecosystem numbers  
4.3.23 and 4.9.6—

*omit, insert—*

*Acacia tephрина, Lysiphyllum spp., Acacia* 4.3.23  
*cambagei* and *Ventilago viminalis* in mixed low  
open woodlands on alluvial plains in the  
north-east

*Astrebla* spp. in mixed tussock grasslands 4.9.6  
wooded with mixed tree species on Cretaceous  
mudstones (Wallumbilla Formation)

- (7) Schedule 3, part 10—

*insert—*

*Eucalyptus sideroxylon, E. fibrosa* subsp. *nubila* 13.11.5  
open forest on metamorphics

- (8) Schedule 3, part 11, entries for regional ecosystem numbers  
1.5.7, 1.5.11 and 1.9.7—

*omit.*

- (9) Schedule 3, part 11—

*insert—*

*Acacia aneura* low woodland on sandy red earth 1.5.7  
plains

*Melaleuca citrolens* and/or *Eucalyptus pruinosa* 1.5.11  
low open woodland on sandy plains

*Eucalyptus miniata* woodland on sandstone plateaus 1.10.2

**7 Amendment of sch 4 (Grassland regional ecosystems—Act, schedule)**

- (1) Schedule 4, part 2, entries for regional ecosystem numbers 3.3.56, 3.8.4 and 3.9.8—

*omit, insert—*

*Aristida* spp. and/or *Eriachne* spp. tussock grassland in drainage depressions 3.3.56

*Heteropogon contortus* or *Themeda triandra* closed tussock grasslands on basalt cones and rises 3.8.4

*Heteropogon triticeus* and/or *Sarga plumosum* closed tussock grassland on clay plains 3.9.8

- (2) Schedule 4, part 7, entry for regional ecosystem number 2.4.2—

*omit.*

- (3) Schedule 4, part 11, entries for regional ecosystem numbers 1.3.10, 1.5.12, 1.5.15, 1.7.3, 1.7.4, 1.9.12, 1.9.14, 1.11.11, 1.11.12, 1.11.13, 1.12.5 and 1.12.6—

*relocate* to schedule 4, part 10.

**8 Amendment of sch 5 (Grassland regional ecosystems—Act, section 8)**

- (1) Schedule 5, part 2, entries for regional ecosystem numbers 3.8.4 and 3.9.8—

*omit, insert—*

*Heteropogon contortus* or *Themeda triandra* closed tussock grasslands on basalt cones and rises 3.8.4

*Heteropogon triticeus* and/or *Sarga plumosum* 3.9.8  
closed tussock grassland on clay plains

(2) Schedule 5, part 6—

*insert—*

*Astrebla* spp., *Iseilema* spp. ± *Aristida latifolia*, 2.4.2  
*Eulalia aurea* tussock grassland on Tertiary clay  
deposits

#### ENDNOTES

- 1 Made by the Governor in Council on 20 June 2019.
- 2 Notified on the Queensland legislation website on 21 June 2019.
- 3 The administering agency is the Department of Natural Resources, Mines and Energy.

© State of Queensland 2019